

Private Bag X82081, Rustenburg, 0300 • Tel: 014 590 1700 • www.platinumhealth.co.za phscript@platinumhealth.co.za

PLATCAP CHRONIC ILLNESS BENEFIT APPLICATION FORM

- 1. Please complete the chronic illness benefit application form in PRINT with black ink and forward to Platinum Health.
- 2. Relevant test results must be attached.
- 3. Prescription must be attached.
- 4. Failure to provide all information, will result in unnecessary delays.

Please complete and email to phscript@platinumhealth.co.za

PATIENT INFORMATION (Please	complete in full)
······································	······································
Platinum Health membership number:	Patient dependant code:
Title: Prof Dr Mr Ms Initials:	Surname:
Names in full (as per identity document):	
Date of birth: C C Y Y M M D D	E-mail:
Tel no (Home): Tel no (W	/ork): Cell no:
Sex: Male Female Language preference: Engl	ish Afrikaans
The outcome of this application must be communicated to	me via Email SMS
DECLARATION	
I hereby apply for PLATINUM HEALTH CHRONIC ILLNESS from time to time.	BENEFIT and agree that I will be bound by the Rules of the Scheme as amended
	t is in my own handwriting or not, is complete and correct. This also applies to e provider, healthcare facility, any of my dependants or myself.
Principal member	
signature:	<u>.</u>
Patient signature:	(If the patient is a minor, parent, legal guardian or custodian must sign the form.)
Date: C C Y Y M M D D	

Patient name and surname: 3 APPLICATION FOR							
3 APPLICATION FOR							
3 APPLICATION FOR							
	THE TREATMENT OF H	IYPERTENSION (to be completed	d by the doctor				
atient weight in kilogram:	Patient height in metres:						
When did this patient commence drug th	nerapy for hypertension? C C Y	Y M M D D					
	six months and all newly diagnosed patie e at least two weeks apart in order to dete	ents please supply two initial blood pressure ermine the stage of hypertension.	ereadings				
m	mHg Date: C C Y	Y M M D D					
2 m	mHg Date: C C Y	Y M M D D					
Current BP reading (for all patients):	/ mmHg						
oes the patient have target organ dama	age or any of the associated conditions a	as listed below? Tick the relevant conditions	s below.				
Left ventricular hypertrophy	Myocardial infarction	Hypertensive retinopathy					
Angina	Chronic renal disease	Prior CABG (Coronary artery by graft)	Prior CABG (Coronary artery bypass graft) Heart failure				
Stroke TIA	Peripheral arterial disease	Heart failure					
rimary Hyperlipidaemia		PERLIPIDAEMIA (to be complete	d by the docto				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram:	THE TREATMENT OF HY d current TSH. The application cannot be Patient height in metres:		d by the docto				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients):	d current TSH. The application cannot be Patient height in metres:		d by the docto				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No	d current TSH. The application cannot be Patient height in metres:	e reviewed if this is not submitted.	d by the docto				
rimary Hyperlipidaemia rlease attach the diagnostic lipogram and ratient weight in kilogram: current BP reading (for all patients): reading the patient smoke: reading the patient smoke amily history (Please complete the table	d current TSH. The application cannot be Patient height in metres: / mmHg	e reviewed if this is not submitted.	d by the docto				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Please attach the diagnostic lipogram and Please attach the diagnostic lipogram and Please the table attached to the patient smoke: Poes the patient smoke: Yes No Please complete the table attached to the patient smoke at the patient sm	d current TSH. The application cannot be Patient height in metres: / mmHg e below for primary and familial hyperlipid	e reviewed if this is not submitted.					
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attient weight in kilogram: current BP reading (for all patients): loes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death	d current TSH. The application cannot be Patient height in metres: / mmHg e below for primary and familial hyperlipid	daemia) BROTHER SI SI SI SI SI SI SI SI SI S					
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attent weight in kilogram: urrent BP reading (for all patients): oes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death amilial hyperlipidaemia lease attach the diagnosing lipogram. P Xanthelasma econdary prevention	Patient height in metres: / mmHg below for primary and familial hyperlipid ATHER MOTHER Please indicate any signs of familial hyperl Cerebrotendinous xanthomaste	daemia) BROTHER SI SI SI SI SI SI SI SI SI S					
rimary Hyperlipidaemia lease attach the diagnostic lipogram and attent weight in kilogram: urrent BP reading (for all patients): oes the patient smoke: Yes No amily history (Please complete the table Event description Age at time of event/death Event description Age at time of event/death Xanthelasma econdary prevention lease indicate the condition(s) your patients:	Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Cerebrotendinous xanthomaste ent has: Type 1 diabetes who has had the	daemia) BROTHER SI SI SI Arcus Cornealis Any of the vasculitides eg SLE	STER				
rimary Hyperlipidaemia lease attach the diagnostic lipogram and lease attach the diagnostic lipogram and lease attach the diagnostic lipogram and lease the patient smoke: Solves the patient smoke: Yes No lamily history (Please complete the table lease the description Age at time of event/death Age at time of event/death I wanthelasma Recondary prevention I lease indicate the condition(s) your patients Type 2 diabetes Nephrotic syndrome and chronic	Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Please indicate any signs of familial hyperl Cerebrotendinous xanthomaste	daemia) BROTHER SI SI Iipidaemia in these patients: osis Arcus Cornealis he Any of the vasculitides eg SLE	STER				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No Family history (Please complete the table Event description Age at time of event/death Familial hyperlipidaemia Please attach the diagnosing lipogram. P Xanthelasma Secondary prevention Please indicate the condition(s) your patients Type 2 diabetes	d current TSH. The application cannot be Patient height in metres: / mmHg be below for primary and familial hyperlipid ATHER MOTHER Cerebrotendinous xanthomaste ent has: Type 1 diabetes who has had the condition for more than 10 year	daemia) BROTHER SI Sipidaemia in these patients: Osis Arcus Cornealis Any of the vasculitides eg SLE there is associated renal disease	STER				
Primary Hyperlipidaemia Please attach the diagnostic lipogram and Patient weight in kilogram: Current BP reading (for all patients): Does the patient smoke: Yes No	d current TSH. The application cannot be Patient height in metres: / mmHg	e reviewed if this is not submitted.	d by the do				

Platinum Health membership number:						
Patient name and surname:						

APPLICATION FOR THE TREATMENT OF TYPE 2 DIABETES

- 1. Please attach a laboratory report that confirms the diagnosis of Type 2 Diabetes.
- 2. The Chronic Illness Benifit will fund medication for Type 2 Diabetes if the criteria for the diagnosis of this condition are met based on the SEMDSA Guidelines.
- 3. The specicic criteria are:
 - Fasting plasma glucose concentration > 7 mmol/l;
 - Casual plasma glucose concentration > 11.1 mmol/l; and
 - Two hour post-glucose or > 11.1 mmol/l during an Oral Glucose Tolerance Test (OGTT).
- 4. Please note that based on cost and clinical quidelines, applications for glitazones, nateglinide, GLP-1 agonists, and DPP-4 antagonists require a motivation for use over conventional therapy from a specialist physician or endocrinologist.

CURRENT MEDICATION REQUIRED (to be completed by the doctor)



NOTE TO MEMBER AND DOCTOR: GENERIC SUBSTITUTION WILL BE APPLIED, PLATINUM HEALTH WILL APPLY MMAP. PLATINUM HEALTH HAS ADOPTED A REFERENCE PRICING PROGRAMME, WHERE THE PATIENT NOTWITHSTANDING ELECTS TO TAKE A HIGHER PRICED PRODUCT PRESCRIBED THE PATIENT IS LIABLE FOR THE DIFFERENCE IN THE CALCULATED GROSS PRICES FOR THE RESPECTIVE PRODUCTS.

ICD-10 D	DESCRIPTION OF DIAGNOSIS	DATE OF FIRST DIAGNOSIS	MEDICATION NAME, STRENGTH AND DOSAGE	HOW LONG PATIENT L MEDICA	G HAS THE ISED THIS ATION?	MAY A GENERIC BE USED?		
			Doortal	YEARS	MONTHS	YES	NO	
							9 9 9 9 9	
							9 9 9 9 9 9 9	
							0 · · · · · · · · · · · · · · · · · · ·	
		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					•	

DOCTOR'S DETAILS AND SIGNATURE (to be completed by the doctor)



NOTE TO DOCTOR: THE DOCTOR'S FEE FOR COMPLETION OF THIS FORM WILL BE REIMBURSED ON CODE 0199, ON SUBMISSION OF A SEPARATE CLAIM. SUBJECT TO SCHEME RULES AND AVAILABILITY OF FUNDS. IN LINE WITH LEGISLATIVE REQUIREMENTS, PLEASE ENSUR E THAT WHEN USING CODE 0199, YOU SUBMIT THE ICD-10 DIAGNOSIS CODE(S). AS PER INDUSTRY STANDARDS, THE APPROPRIATE ICD-10 CODE(S) TO USE FOR THIS PURPOSE WOULD BE THOSE REFLECTIVE OF THE ACTUAL CHRONIC CONDITION(S) FOR WHICH THE FORM WAS COMPLETED. IF MULTIPLE CHRONIC CONDITIONS WERE APPLIED FOR, THEN IT WOULD BE APPROPRIATE TO LIST ALL THE RELEVANT ICD-10 CODES. YOU MAY CALL 014 590 1700 (OPTION 4) FOR CHANGES TO YOUR PATIENT'S MEDICATION FOR AN APPROVED CONDITION. AN APPLICATION FORM ONLY NEEDS TO BE COMPLETED WHEN APPLYING FOR A NEW CHRONIC CONDITION.

Name:							BHF practice number:	:	
Date:	с с	ΥΥ	М М	D	D	Speciality:			:
Tel no ((Practice):					Doctor's signature:			

Please complete and email to phscript@platinumhealth.co.za

Platinum Health membership number	:					
Patient name and surname:						

PRESCRIBED MINIMUM BENEFITS (PMBs)

ADDISON'S DISEASE: Application form must be completed by a paediatrician or endocrinologist.

ASTHMA: The South African Treatment Guidelines for Asthma, as published in the SAMJ are applied to all applications. BIPOLAR MOOD: Disorder Application form

must be completed by a psychiatrist.

BRONCHIECTASIS: Application form must be completed by a paediatrician or pulmonologist.

CARDIAC FAILURE: None
CARDIOMYOPATHY: None

CHRONIC OBSTRUCTIVE PULMONARY
DISEASE (COPD): Please attach a lung
function test (LFT) report which includes the
FEV1/FVC and FEV1 post bronchodilator use.
CHRONIC RENAL DISEASE: 1. Please attach
proof of diagnosis completed by a nephrologist.
2. Please attach a diagnosing laboratory report
reflecting creatinine clearance. 3. Please attach
a report reflecting haemoglobin or haematocrit
levels when applying for erythropoietin,
indicating if the results are on or off drug

therapy.

CORONARY ARTERY DISEASE: Please provide details of previous cardiovascular event(s) in patient, if applicable.

CROHN'S DISEASE: Please attach proof of diagnosis completed by a gastroenterologist.
DIABETES INSIPIDUS: Please attach proof of diagnosis completed by an endocrinologist.

DIABETES TYPE 1: None

DIABETES TYPE 2: Refer to Section 5.

DYSRHYTHMIAS: None

EPILEPSY: None GLAUCOMA: None

HAEMOPHILIA: Please attach a laboratory report reflecting factor 8 or 9 levels.
HIV/AIDS (ANTIRETROVIRAL THERAPY):
Documented proof that patient qualified for ART treatment in accordance with National Antiretroviral Treatment guidelines.
HYPERLIPIDAEMIA: Section 4 must be

completed by the doctor.

HYPERTENSION: Section 3 must be completed

by the doctor.

HYPOTHYROIDISM: Please attach the initial or diagnostic laboratory report that confirms the diagnosis of hypothyroidism, including TSH, T4 and T3 levels.

MULTIPLE SCLEROSIS (MS): Please attach proof of diagnosis completed by a neurologist.

PARKINSON'S DISEASE: Only applications from a neurologist for non-formulary items will be considered.

RHEUMATOID ARTHIRITIS: 1. Please attach proof of diagnosis completed by a rheumatologist. 2. Applications for anti-inflammatories as monotherapy (on its own) must be motivated for by a rheumatologist. 3. Applications for COXIB's must be accompanied by a motivation for its use over conventional anti-inflammatories. 4. Only applications from a rheumatologist for non-formulary items will be considered.

SCHIZOPHRENIA: Application must be completed by a psychiatrist.

SYSTEMIC LUPUS ERYTHEMATOSUS: Application must be completed by a

Application must be completed by a rheumatologist, nephrologist or physician.

ULCERATIVE COLITIS: Please attach proof of diagnosis completed by a gastroenterologist.